


SUMMARY For PANEL MOUNT MONITORS.


Issue Date 2020.12.25

Copyright (C) 2020 FINDUS All right reserved.
RM1205, A-BLD, SK V1 Tower.
#14, Galmachi-ro 288beon-gil, Jungwon-gu,
Seongnam-si, Gyeonggi-do, Korea.(13201)
<http://www.findus.kr>


The Model Names of Panel Mount Monitors.




The Product Code of Open Frame Monitors.




The Product Number of Open Frame Monitors.




FI104P – Suffix “C”


MODEL	VIDEO INPUT	TYPE of TOUCH SCREEN	TYPE of TOUCH CONTROLLER	REMARKS
FI104PN-D(H)-C11	VGA/DVI(HDMI)	NON	NON	
FI104PT-D(H)-C11	VGA/DVI(HDMI)	Resistive	USB	RS232C Optional
FI104PT-D(H)-C12	VGA/DVI(HDMI)	P-CAP	USB	10 points
<div>  <p>General Specifications.</p> <ul style="list-style-type: none"> - Display : 10.4 inch (TN) - Resolution : 800 X 600 (SVGA/60Hz) - Brightness / Contrast : 350 nit / 800 - Power input : DC12V - Outline dimension(W X H X D mm) : 270.0 X 214.0 X 49.3 The Rear cover size for reference. - Dimension(WR X HR mm) : 240.0 X 187.0 </div>				

FI104P – Suffix “X”

MODEL	VIDEO INPUT	TYPE of TOUCH SCREEN	TYPE of TOUCH CONTROLLER	REMARKS
FI104PN-D(H)-X01	VGA/DVI(HDMI)	NON	NON	
FI104PT-D(H)-X01	VGA/DVI(HDMI)	Resistive	USB	RS232C Optional
FI104PT-D(H)-X02	VGA/DVI(HDMI)	P-CAP	USB	10 Points
<div>  <p>General Specifications.</p> <ul style="list-style-type: none"> - Display : 10.4 inch (VA) - Resolution : 1024 X 768 (XGA/60Hz) - Brightness / Contrast : 400 nit / 1400 - Power input : DC12V - Outline dimension(W X H X D mm) : 270.0 X 214.0 X 49.3 The Rear cover size for reference. - Dimension(WR X HR mm) : 243 X 187.0 - Reversed display in 180 degrees. (Optional) </div>				


MODEL	VIDEO INPUT	TYPE of TOUCH SCREEN	TYPE of TOUCH CONTROLLER	REMARKS
FI104PN-D(H)-X11	VGA/DVI(HDMI)	NON	NON	
FI104PT-D(H)-X11	VGA/DVI(HDMI)	Resistive	USB	RS232C Optional
FI104PT-D(H)-X12	VGA/DVI(HDMI)	P-CAP	USB	10 Points
<div>  </div> <p>General Specifications.</p> <ul style="list-style-type: none"> - Display : 10.4 inch (TN) - Resolution : 1024 X 768 (XGA/60Hz) - Brightness / Contrast : 350 nit / 900 - Power input : DC12V - Outline dimension(W X H X D mm) : 270.0 X 214.0 X 49.3 <p>The Rear cover size for reference.</p> <ul style="list-style-type: none"> - Dimension(W_R X H_R mm) : 243 X 187.0 - Reversed display in 180 degrees. (Optional) 				

FI121P – Suffix “C”

MODEL	VIDEO INPUT	TYPE of TOUCH SCREEN	TYPE of TOUCH CONTROLLER	REMARKS
FI121PN-D(H)-C01	VGA/DVI(HDMI)	NON	NON	
FI121PT-D(H)-C01	VGA/DVI(HDMI)	Resistive	USB	RS232C Optional
FI121PT-D(H)-C02	VGA/DVI(HDMI)	P-CAP	USB	10 Points
FI121PT-D(H)-C03	VGA/DVI(HDMI)	SAW	RS232C&USB	
<div>  </div> <p>General Specifications.</p> <ul style="list-style-type: none"> - Display : 12.1 inch (TN) - Resolution : 800 X 600 (SVGA/60Hz) - Brightness / Contrast : 350 nit / 500 - Power input : DC12V - Outline dimension(W X H X D mm) : 330.0 X 264.5 X 56.2 <p>The Rear cover size for reference.</p> <ul style="list-style-type: none"> - Dimension(W_R X H_R mm) : 298.0 X 234.5 - Optional : Vandal proof with 6mm tempered SAW touch screen 				

FI121P – Suffix “X”

MODEL	VIDEO INPUT	TYPE of TOUCH SCREEN	TYPE of TOUCH CONTROLLER	REMARKS
FI121PN-D(H)-X01	VGA/DVI(HDMI)	NON	NON	
FI121PT-D(H)-X01	VGA/DVI(HDMI)	Resistive	USB	RS232C Optional
FI121PT-D(H)-X02	VGA/DVI(HDMI)	P-CAP	USB	10 Points
FI121PT-D(H)-X03	VGA/DVI(HDMI)	SAW	RS232C&USB	



General Specifications.

- Display : 12.1 inch (TN)
- Resolution : 1024 X 768 (XGA/60Hz)
- Brightness / Contrast : 500 nit / 700
- Power input : DC12V
- Outline dimension(W X H X D mm) : 330.0 X 264.5 X 56.2


The Rear cover size for reference.

- Dimension(WR X HR mm) : 298.0 X 234.5
- Optional : Reversed display in 180 degrees. (Optional)

Vandal proof with 6mm tempered SAW touch screen

FI150P – Suffix “C”

MODEL	VIDEO INPUT	TYPE of TOUCH SCREEN	TYPE of TOUCH CONTROLLER	REMARKS
FI150PN-D(H)-C01	VGA/DVI(HDMI)	NON	NON	
FI150PT-D(H)-C01	VGA/DVI(HDMI)	Resistive	USB	RS232C Optional
FI150PT-D(H)-C02	VGA/DVI(HDMI)	P-CAP	USB	10 Points
FI150PT-D(H)-C03	VGA/DVI(HDMI)	SAW	RS232C&USB	



General Specifications.

- Display : 15.0 inch (TN)
- Resolution : 1024 X 768 (XGA/60Hz)
- Brightness / Contrast : 350 nit / 800
- Power input : DC12V
- Outline dimension(W X H X D mm) : 378.0 X 296.0 X 50.7

The Rear cover size for reference.

- Dimension(WR X HR mm) : 348.0 X 269.0
- Optional : Vandal proof with 6mm tempered SAW touch screen

FI190P – Suffix “W”

MODEL	VIDEO INPUT	TYPE of TOUCH SCREEN	TYPE of TOUCH CONTROLLER	REMARKS
FI190PN-D(H)-W01	VGA/DVI(HDMI)	NON	NON	
FI190PT-D(H)-W01	VGA/DVI(HDMI)	Resistive	USB	RS232C Optional
FI190PT-D(H)-W02	VGA/DVI(HDMI)	P-CAP	USB	10 Points
FI190PT-D(H)-W03	VGA/DVI(HDMI)	SAW	RS232C&USB	



General Specifications.

- Display : 19.0 inch (IPS)
- Resolution : 1280 X 1024 (SXGA/60Hz)
- Brightness / Contrast : 300 nit / 1000
- Power input : DC12V
- Outline dimension(W X H X D mm) : 462.0 X 380.0 X 62.3
- The Rear cover size for reference.**
- Dimension(WR X HR mm) : 422.0 X 363.0
- Viewing angle (L&R / U&D) : 178 / 178 Degrees

FI220P – Suffix “C”

MODEL	VIDEO INPUT	TYPE of TOUCH SCREEN	TYPE of TOUCH CONTROLLER	REMARKS
FI220PN-D(H)-C01	VGA/DVI(HDMI)	NON	NON	
FI220PT-D(H)-C01	VGA/DVI(HDMI)	Resistive	USB	RS232C Optional
FI220PT-D(H)-C03	VGA/DVI(HDMI)	SAW	RS232C&USB	
FI220PT-D(H)-C04	VGA/DVI(HDMI)	Infrared	USB	



General Specifications.

- Display : 22.0 inch (TN)
- Resolution : 1680 X 1050(WSXGA/60Hz)
- Brightness / Contrast : 250 nit / 1000
- Power input : DC12V
- Outline dimension(W X H X D mm) : 559.5 X 378.0 X 63.0
- The Rear cover size for reference.**
- Dimension(WR X HR mm) : 429.5 X 368.0

FI240P – Suffix “X”

MODEL	VIDEO INPUT	TYPE of TOUCH SCREEN	TYPE of TOUCH CONTROLLER	REMARKS
FI240PN-D(H)-X01	VGA/DVI(HDMI)	NON	NON	
FI240PT-D(H)-X01	VGA/DVI(HDMI)	Resistive	USB	RS232C Optional
FI240PT-D(H)-X03	VGA/DVI(HDMI)	SAW	RS232C&USB	



General Specifications.

- Display : 24.0 inch (IPS)
- Resolution : 1920 X 1200 (WUXGA/60Hz)
- Brightness / Contrast : 300 nit / 1000
- Power input : DC12V
- Outline dimension(W X H X D mm) : 605.5 X 404.0 X 63.0

The Rear cover size for reference.

- Dimension(WR X HR mm) : 575.5 X 394.0
- Viewing angle (L&R / U&D) : 178 / 178 Degrees